

Cancer screening for people living with disability



Photo credit: Michael Christofas.

An invitation to consider:

- what attitudes and beliefs prevent people with disability from taking part in cancer screening?
- how can we improve the experience of cancer screening for people with disability?
- how can Yooralla support customers who live alone or with family to access cancer screening?
- how can Yooralla help customers to access health care when they have symptoms to watch out for?
- how can Yooralla facilitate informed decision-making about cancer screening and early detection using the customer's preferred communication methods?

Cancer rates and death among people with disability

Internationally, there is variation in the rates and risks of various types of cancer. Also, the profile, experience and life expectancy of people living with disability can be quite different across countries. Even within countries,

Suggested citation:

Ireland, P. Insights Into Practice 2. Cancer screening for people living with disability. Yooralla. 2022.

such diversity can lead to differing interactions between certain types of disability and specific cancers. Reported cancer rates among people with intellectual disabilities are lower than¹⁻³, similar to⁴⁻⁶ or higher than⁷ those of the general population depending on which countries the studies examined. A recent study from the United States found that women who had difficulties with movement or complex activity have significantly higher rates of breast cancer and cervical cancer⁸. Death rates⁹⁻¹¹ and the likelihood of poorer outcomes¹² are higher among people with intellectual disabilities because their cancers may be diagnosed at a more advanced stage¹³. The key point is that cancer is a leading cause of death among people with disability in Australia, and population health measures to reduce the impact of cancer are just as relevant as they are for the general population.^{1, 5, 6, 12}



People with disability are more likely to be diagnosed with cancer at a more advanced stage leading to a higher risk of death.




Unequal access to Australia's national cancer screening programs

One reason for higher rates of cancer death experienced by people with disability is delayed diagnosis. A delay in diagnosis can be caused when cancer symptoms are incorrectly attributed to the person's disability.¹⁴ Cancer screening can detect cancers at an early, treatable stage, reducing the likelihood of poor outcomes, including early death.



BreastScreen Australia is a joint initiative of the Australian and state and territory governments and aims to reduce illness and death from breast cancer by detecting the disease early. Women over 40 can have a free mammogram every 2 years, and women aged 50 to 74 are actively invited to be screened. Breast cancer mortality has decreased since BreastScreen Australia began, dropping from 74 deaths per 100,000 women aged 50–74 in 1991 to 41 deaths per 100,000 women in 2019.¹⁵

In Australia, women with physical disabilities^{16–18} and intellectual disabilities^{19, 20} do not access mammography screening at the same rate as other women.



The National Cervical Screening Program (NCSP) reduces illness and death from cervical cancer. The introduction of the NCSP in 1991 led to falls in both cervical cancer rates and deaths due to the program's ability to detect pre-cancerous abnormalities that may progress to cancer if left untreated.²¹ Women and people with a cervix aged 25 to 74 are invited to have a cervical screening test every 5 years.

Cervical screening is underused by Australian women with intellectual disabilities.²⁰ From 1 July 2022, all women and people with a cervix will have the choice to self-collect their vaginal sample for Human papillomavirus (HPV) –

the cervical cancer screening test – using a swab. This is a much less invasive option than the speculum examination and will improve access to cervical screening for many people with disabilities.

The National Bowel Cancer Screening Program (NBCSP) aims to reduce deaths from bowel cancer by detecting the early signs of the disease. Since the NBCSP was introduced in 2006, the rate of colorectal cancer has declined by 22 per cent, and the death rate from colorectal cancer has decreased by 29 per cent²¹. Every 2 years, eligible Australians from 50 to 74 years of age are sent a free immunochemical faecal occult blood test (iFOBT) to be done at home. This test is used to check for blood in a person's poo, which can be an early sign of bowel cancer.



Among Australians with a range of disabilities, the uptake of bowel cancer screening was 91 per cent of the broader community's rate.²²

Population screening for other cancers is not recommended. Specifically:

- Cancer Council Australia does not recommend mass or population-based screening for melanoma or non-melanoma skin cancer.²³
- Men thinking of getting tested for prostate cancer should talk to their doctor about the benefits and harms of prostate-specific antigen (PSA) testing.²⁴ Current evidence shows that the PSA test should not be used for population screening,²⁵ as the risks outweigh the benefits. Only a prostate biopsy can definitively diagnose prostate cancer.

Under-screening of people with disability is an international issue

The underuse of screening programs for breast, cervical and bowel cancer among people with physical and or intellectual disabilities appears to be a common finding everywhere it has been studied.^{26–36} Generally, the more severe the disability, the lower the screening rate compared to the broader population.^{8, 37–43}

Overseas research has shown that GPs mostly accept their role as primary health care providers for people with

intellectual disability. However, more than one in four GPs were less willing to accept their responsibility for health promotion and health screening initiatives for people with intellectual disability because of feelings of discomfort, lack of assistance and workload pressures.⁴⁴⁻⁴⁶

Where people live is a factor

Women who live in supervised group homes are more likely to be up-to-date with their cancer screening.^{31, 36} On the other hand, women with disability who live alone or with family have lower screening rates and are more likely to be diagnosed with late breast cancer.¹¹

Yooralla operates a cancer screening register for every customer in its residential services. Each customer has an individualised screening program recorded centrally, including the dates of screens completed and due, and evidence-based information resources that provide guidance about the required tests and intervals based on the customer's age, gender and history.



Photo credit: Michael Christofas.

Health assessment for people with a disability

The Comprehensive Health Assessment Program (CHAP) is a health assessment proven to increase health actions, compared with usual care, for people with intellectual disability.^{47, 48} Health assessments for people with an intellectual disability are available through GPs, including longer consultations for people with complex needs. A health assessment can be done once every 12 months for eligible patients with an intellectual disability.

The National Roadmap for Improving the Health of People with Intellectual Disability⁴⁹ recommends more use of annual health assessments and other existing MBS items to improve health outcomes for people with intellectual disability. Evidence-based tools that support regular health assessments, such as the CHAP, should be readily available and accessible to GPs, practice nurses, disability service providers and support workers, families and carers. The Roadmap identifies cancer screening among the desired outcomes from the more widespread use of comprehensive health plans for people with intellectual disability.

The Australian Commission on Safety and Quality in Health Care and the National Disability Insurance Scheme Quality and Safeguards Commission recently published a Practice Alert⁵⁰ for people with disability – not only those with an intellectual disability – to take part in an annual health assessment where the “GP will also recommend and refer the participant for relevant preventative health care such as regular screening for serious conditions. For example: skin cancer checks; breast and/or bowel cancer screening.”

General practice plays a vital role in helping people with disability access cancer screening.⁵¹ According to Cancer Council Victoria,⁵² all three cancer screening programs should:

- consider other screening options such as the self-collected Cervical Screening Test
- include cancer screening in the patient's health care plan
- encourage talking directly to the patient (where possible) rather than to their carer or support person
- provide resources in plain language and other accessible formats, such as large print or text-to-talk platforms.



Photo credit: Michael Christofas.

Focus on early detection

Cancer screening programs are designed to detect cancers at an early, treatable stage. However, the three cancer types for which Australia has national screening programs – bowel, breast and cervical cancers – only account for roughly one in ten cancers diagnosed among men and one-quarter of cancers among women. So the early detection of cancer requires attention beyond cancer screening. There is evidence that people with disability may be at increased risk of several cancers that occur at a relatively early age.⁷ Unfortunately, people with disability are more likely to be diagnosed with cancer at a more advanced stage leading to a higher risk of death. Clinicians must consciously avoid attributing signs and symptoms that may indicate cancer to the patient's disability. Such misdiagnosis can delay correct treatment. Support staff who have long-term relationships with clients have a role in overcoming barriers to proper care where communication and behavioural issues interfere.

Responding to people's beliefs, attitudes and information needs

The experience for people with disability must meet their expectations to be informed, involved, and treated with respect. Providers must be alert to the preferences and choices of people with disability. Support staff need to be confident and competent in cancer screening to ensure it is safe, pain-free and non-discriminatory. Critically, the experience must be one where the person feels it is personally relevant and worth repeating.^{16–18, 53–55}

Collaboration between GPs, patients with intellectual disability and the patients' trusted caregivers and support people is essential in a rights-based approach to communication and supported decision making. Patients must have the opportunity to indicate their wants, needs and feelings, including through visual and behavioural cues or access to augmentative and alternative communication strategies.^{56–59} Support staff who have long-term relationships with clients have a role in overcoming communication and behavioural barriers to proper care. Disability support services can promote

discussion at adult day programs about cancer screening and promote positive attitudes.⁶⁰ Disability support workers can assist with system navigation⁶¹ and help make appointments (including for longer consultations to allow full involvement of the patient, family carer(s) and support worker).

Implications for practice

- **People with disability share the community's risk of cancer.**
- **People with disability face a higher risk of late diagnosis of cancer.**
- **Taking part in national cancer screening programs is vital for people with disability to reduce their risk of dying from cancer.**
- **There are a number of actions that support staff and health care professionals can take to support timely and person-centred access to cancer screening for people with disability.**

References

1. Sullivan SG, Glasson EJ, Hussain R, Petterson BA, Slack-Smith LM, Montgomery PD, Bittles AH. Breast cancer and the uptake of mammography screening services by women with intellectual disabilities. *Prev Med.* 2003;37(5):507-12.
2. Cuypers M, Tobi H, Huijsmans CAA, et al. Disparities in cancer-related healthcare among people with intellectual disabilities: A population-based cohort study with health insurance claims data. *Cancer Med.* 2020;9(18):6888-6895.
3. Satgé D, Axmon A, Trétarre B, Sandberg M, Ahlström G. Cancer diagnoses among older people with intellectual disability compared with the general population: a national register study. *J Intellect Disabil Res.* 2020;64(8):579-588.
4. Liao P, Vajdic C, Trollor J, Reppermund S. Prevalence and incidence of physical health conditions in people with intellectual disability - a systematic review. *PLoS One.* 2021;16(8):e0256294.
5. Sullivan SG, Hussain R, Threlfall T, Bittles AH. The incidence of cancer in people with intellectual disabilities. *Cancer Causes Control.* 2004 Dec;15(10):1021-5.
6. Trollor J, Srasuebkuol P, Xu H, Howlett S. Cause of death and potentially avoidable deaths in Australian adults with intellectual disability using retrospective linked data. *BMJ Open.* 2017;7(2):e013489.
7. Liu Q, Adami H-O, Reichenberg A, Kolevzon A, Fang F, Sandin S. Cancer risk in individuals with intellectual disability in Sweden: A population-based cohort study. *PLoS Med.* 2021;18(10):e1003840.
8. Iezzoni LI, Rao SR, Agaronnik ND, El-Jawahri A. Associations Between Disability and Breast or Cervical Cancers, Accounting for Screening Disparities. *Med Care.* 2021;59(2):139-147.
9. Glover G, Williams R, Heslop P, Oyinlola J, Grey J. Mortality in people with intellectual disabilities in England. *J Intellect Disabil Res.* 2017 Jan;61(1):62-74.
10. Hirvikoski T, Boman M, Tideman M, Lichtenstein P, Butwicki A. Association of Intellectual Disability With All-Cause and Cause-Specific Mortality in Sweden. *JAMA Netw Open.* 2021;4(6):e2113014.
11. Arana-Chicas E, Kioumarsis A, Carroll-Scott A, Massey PM, Klassen AC, Yudell M. Barriers and facilitators to mammography among women with intellectual disabilities: a qualitative approach. *Disabil Soc.* 2020;35(8):1290-1314.
12. Sullivan SG, Hussain R. Hospitalisation for cancer and co-morbidities among people with learning disability in Australia. *British Journal of Learning Disabilities.* 2008;36:191-197.
13. Ng N, Flygare Wallén E, Ahlström G. Mortality patterns and risk among older men and women with intellectual disability: a Swedish national retrospective cohort study. *BMC Geriatr.* 2017;17(1):269.
14. Agaronnik ND, El-Jawahri A, Iezzoni LI. Perspectives of Patients with Pre-existing Mobility Disability on the Process of Diagnosing Their Cancer. *J Gen Intern Med.* 2021;36(5):1250-1257.
15. Australian Institute of Health and Welfare. BreastScreen Australia monitoring report. 2021. Cat. No. CAN 140.
16. Llewellyn G, Balandin S, Poulos A, McCarthy L. Disability and mammography screening: intangible barriers to participation. *Disabil Rehabil.* 2011;33(19-20):1755-67.
17. Poulos A, Balandin S, Llewellyn G, McCarthy L, Dark L. Women with physical disability and the mammogram: An observational study to identify barriers and facilitators. *Radiography* 2011;17(1):14-19.
18. Peters K, Cotton A. Barriers to breast cancer screening in Australia: experiences of women with physical disabilities. *J Clin Nurs.* 2015;24(3-4):563-72.
19. Sullivan SG, Glasson EJ, Hussain R, Petterson BA, Slack-Smith LM, Montgomery PD, Bittles AH. Breast cancer and the uptake of mammography screening services by women with intellectual disabilities. *Prev Med.* 2003;37(5):507-12.
20. Haider SI, Ansari Z, Vaughan L, Matters H, Emerson E. Health and wellbeing of Victorian adults with intellectual disability compared to the general Victorian population. *Res Dev Disabil.* 2013;34(11):4034-42.
21. Australian Institute of Health and Welfare. Cancer data in Australia. 2021. Cat. No. CAN 122.
22. Weber MF, Banks E, Ward R, Sitas F. Population characteristics related to colorectal cancer testing in New South Wales, Australia: results from the 45 and Up Study cohort. *J Med Screen.* 2008;15(3):137-42.
23. Commonwealth Department of Health. Skin cancer screening – position statement Commonwealth of Australia. 2017. <https://www.health.gov.au/resources/publications/skin-cancer-screening-position-statement>, accessed 3 December 2021.

24. National Health and Medical Research Council. Clinical practice guidelines PSA Testing and Early Management of Test-Detected Prostate Cancer. Commonwealth of Australia. 2016. <https://www.clinicalguidelines.gov.au/portal/2518/clinical-practice-guidelines-psa-testing-and-early-management-test-detected-prostate>, accessed 3 December 2021.
25. Commonwealth Department of Health. Prostate cancer screening – position statement. Commonwealth of Australia. 2019. <https://www.health.gov.au/resources/publications/prostate-cancer-screening-position-statement>, accessed 3 December 2021.
26. Ramjan L, Cotton A, Algoos M, Peters K. Barriers to breast and cervical cancer screening for women with physical disability: A review. *Women Health*. 2016;56(2):141-56.
27. Armour BS, Thierry JM, Wolf LA. State-level differences in breast and cervical cancer screening by disability status: United States, 2008. *Womens Health Issues*. 2009;19(6):406-14.
28. Sakellariou D, Rotarou ES. Utilisation of cancer screening services by disabled women in Chile. *PLoS One*. 2017;12(5):e0176270.
29. Iezzoni LI, Rao SR, Agaronnik ND, El-Jawahri A. Associations Between Disability and Breast or Cervical Cancers, Accounting for Screening Disparities. *Med Care*. 2021;59(2):139-147.
30. Sakellariou D, Elena S Rotarou ES. Utilisation of mammography by women with mobility impairment in the UK: secondary analysis of cross-sectional data. *BMJ Open*. 2019;9(3):e024571.
31. Xu X, McDermott SW, Mann JR, Hardin JW, Deroche CB, Carroll DD, Courtney-Long EA. A longitudinal assessment of adherence to breast and cervical cancer screening recommendations among women with and without intellectual disability. *Prev Med*. 2017;100:167-172.
32. Ouellette-Kuntz H, Coo H, Cobigo V, Wilton AS. Uptake of colorectal cancer screening among Ontarians with intellectual and developmental disabilities. *PLoS One*. 2015;10(2):e0118023.
33. Cobigo V, Ouellette-Kuntz H, Balogh R, Leung F, Lin E, Lunsky Y. Are cervical and breast cancer screening programmes equitable? The case of women with intellectual and developmental disabilities. *J Intellect Disabil Res*. 2013;57(5):478-88.
34. Reidy M, Denieffe S, Foran S. Cancer screening in women with intellectual disabilities: an Irish perspective. *J Intellect Disabil*. 2014;18(1):51-60.
35. Osborn DP, Horsfall L, Hassiotis A, Petersen I, Walters K, Nazareth I. Access to cancer screening in people with learning disabilities in the UK: cohort study in the health improvement network, a primary care research database. *PLoS One*. 2012;7(8):e43841.
36. Wilkinson JE, Lauer E, Freund KM, Rosen AK. Determinants of mammography in women with intellectual disabilities. *J Am Board Fam Med*. 2011;24(6):693-703.
37. Andresen EM, Peterson-Besse JJ, Krahn GL, Walsh ES, Horner-Johnson W, Iezzoni LI. Pap, mammography, and clinical breast examination screening among women with disabilities: a systematic review. *Womens Health Issues*. 2013;23(4):e205-14.
38. Shin DW, Chang D, Jung JH, Han K, Kim SY, Choi KS, Lee WC, Park JH, Park JH. Disparities in the Participation Rate of Colorectal Cancer Screening by Fecal Occult Blood Test among People with Disabilities: A National Database Study in South Korea. *Cancer Res Treat*. 2020 Jan;52(1):60-73.
39. Shin DW, Lee J-W, Jung JH, et al. Disparities in cervical cancer screening among women with disabilities: a national database study in South Korea. *J Clin Oncol*. 2018;36:2778–2786.
40. Shin DW, Yu J, Cho J, Lee SK, Jung JH, Han K, Kim SY, Yoo JE, Yeob KE, Kim YY, Park JH, Park JH, Kawachi I. Breast cancer screening disparities between women with and without disabilities: A national database study in South Korea. *Cancer*. 2020 Apr 1;126(7):1522-1529.
41. Horner-Johnson W, Dobbertin K, Andresen EM, Iezzoni LI. Breast and cervical cancer screening disparities associated with disability severity. *Womens Health Issues*. 2014;24(1):e147-53.
42. Lai H-T, Kung P-T, Tsai W-C. Factors influencing the mammography utilization among Taiwanese women with intellectual disabilities, a nationwide population-based study. *Res Dev Disabil*. 2014;35(12):3372-8.
43. Nuche-Berenguer B, Sakellariou D. Socioeconomic Determinants of Participation in Cancer Screening in Argentina: A Cross-Sectional Study. *Front Public Health*. 2021; 9: 699108.
44. Bond L, Kerr M, Dunstan F, Thapar A. Attitudes of general practitioners towards health care for people with intellectual disability and the factors underlying these attitudes. *J Intellect Disabil Res*. 1997;41:391-400.
45. McConkey R, Moore G, Marshall D. Changes in the Attitudes of GPs to the Health Screening of Patients with Learning Disabilities. *J Learn Disabil*. 2002;6:373-384.
46. Verger P, Aulagnier M, Souville M, Ravaud JF, Lussault PY, Garnier JP, Paraponaris A. Women with disabilities: general practitioners and breast cancer screening. *Am J Prev Med*. 2005;28:215-20.
47. Lennox N, Bain C, Rey-Conde T, Purdie D, Bush R, Pandeya N. Effects of a comprehensive health assessment programme for Australian adults with intellectual disability: a cluster randomized trial. *International Journal of Epidemiology*. 2007;36(1):139-146.
48. Robertson J, Hutton C, Emerson E, Baines S. The impact of health checks for people with intellectual disabilities: An updated systematic review of evidence. *Research in Developmental Disabilities*. 2014; 35(10):2450-2462.
49. Commonwealth Department of Health. National Roadmap for Improving the Health of People with Intellectual Disability. Commonwealth of Australia. 2021.
50. Australian Commission on Safety and Quality in Health Care and the NDIS Quality and Safeguards Commission. Practice Alert: Comprehensive health assessment. 2021. Accessed from: <https://www.ndiscommission.gov.au/sites/default/files/documents/2021-09/practice-alert-comprehensive-health-assessment.pdf> on 2 December 2021.
51. BreastScreen Victoria and Cancer Council Victoria. Cancer screening for people with disabilities: A guide for general practice. 2019.
52. Cancer Council Victoria. Case study: Increasing cancer screening participation for people with disability: the role of a GP. 2021. <https://screeningresources.cancervic.org.au/communities/people-with-disabilities/increasing-cancer-screening-participation-for-people-with-disability-the-role-of-a-gp>, Accessed 3 December 2021
53. Agaronnik ND, El-Jawahri A, Kirschner K, Iezzoni LI. Exploring Cancer Treatment Experiences for Patients With Preexisting Mobility Disability. *Am J Phys Med Rehabil*. 2021;100(2):113-119.
54. O'Regan P, Drummond E. Cancer information needs of people with intellectual disability: a review of the literature. *Eur J Oncol Nurs*. 2008;12(2):142-7.
55. Matin BK, Williamson HJ, Karyani AK, Rezaei S, Soofi M, Soltani S. Barriers in access to healthcare for women with disabilities: a systematic review in qualitative studies. *BMC Womens Health*. 2021;21(1):44.
56. Chew KL, Iacono T, Tracy J. Overcoming communication barriers - working with patients with intellectual disabilities. *Aust Fam Physician*. 2009;38:10-14.
57. Sullivan WF, Heng J. Supporting adults with intellectual and developmental disabilities to participate in health care decision making. *Can Fam Physician*. 2018;64(Suppl 2):S32-S36.
58. McNeil K, Gemmill M, Abells D, Sacks S, Broda T, Morris CR, Forster-Gibson C. Circles of care for people with intellectual and developmental disabilities: Communication, collaboration, and coordination. *Can Fam Physician*. 2018;64(Suppl 2):S51-S56.
59. Schalock RL, Luckasson R, Tassé MJ. The contemporary view of intellectual and developmental disabilities: Implications for psychologists. *Psicothema*. 2019;31:223-228.
60. Potvin LA, Fulford C, Ouellette-Kuntz H, Cobigo V. What adults with intellectual and developmental disabilities say they need to access annual health examinations: System navigation support and person-centred care. *Can Fam Physician*. 2019;65(Suppl 1):S47-S52.
61. Arana-Chicas E, Kioumarsis A, Carroll-Scott A, Massey PM, Klassen AC, Yudell M. Barriers and facilitators to mammography among women with intellectual disabilities: a qualitative approach. *Disabil Soc*. 2020;35:1290-1314.